

Prevail 37 - XT2000 - SVX Cam & 1/2

CAM	LETOFF	BRACE HEIGHT	AXLE TO AXLE	DRAW LENGTH	MODULE POSITION	BASE CAM	STRING	CONTROL CABLE	BUSS CABLE
SVX	65%	7 3/16	36 3/4	24	A	1	55.13	42.38	38.88
	65%	7 3/16	36 3/4	24 1/2	B	1	55.13	42.38	38.88
	65%	7 3/16	36 3/4	25	*C	1	55.13	42.38	38.88
	65%	7 3/16	36 3/4	25 1/2	D	1	55.13	42.38	38.88
	65%	7 3/16	36 3/4	26	E	1	55.13	42.38	38.88
	65%	7 1/16	37 1/4	26 1/2	A	2	56.88	41.50	39.50
	65%	7 1/16	37 1/4	27	B	2	56.88	41.50	39.50
	65%	7 1/16	37 1/4	27 1/2	*C	2	56.88	41.50	39.50
	65%	7 3/16	37 3/16	28	A	3	58.75	41.38	39.00
	65%	7 3/16	37 3/16	28 1/2	B	3	58.75	41.38	39.00
	65%	7 3/16	37 3/16	29	*C	3	58.75	41.38	39.00
	65%	7 1/8	37 3/4	29 1/2	A	4	60.50	41.75	39.63
	65%	7 1/8	37 3/4	30	B	4	60.50	41.75	39.63
	65%	7 1/8	37 3/4	30 1/2	*C	4	60.50	41.75	39.63
	65%	7 1/16	37 15/16	31	A	5	62.25	42.00	39.75
	65%	7 1/16	37 15/16	31 1/2	*B	5	62.25	42.00	39.75

Prevail 37 - XT2000 - X3 Cam & 1/2

CAM	LETOFF	BRACE HEIGHT	AXLE TO AXLE	DRAW LENGTH	MODULE POSITION	BASE CAM	STRING	CONTROL CABLE	BUSS CABLE
X3	65/75 %	7 3/8	36 11/16	25	A	#1	54.50	40.13	38.63
	65/75 %	7 3/8	36 11/16	25 1/2	B	#1	54.50	40.13	38.63
	65/75 %	7 3/8	36 11/16	26	C	#1	54.50	40.13	38.63
	65/75 %	7 3/8	36 11/16	26 1/2	D	#1	54.50	40.13	38.63
	65/75 %	7 3/8	36 11/16	27	*E	#1	54.50	40.13	38.63
	65/75 %	7 7/16	37 1/4	27	A	#2	57.75	40.63	39.25
	65/75 %	7 7/16	37 1/4	27 1/2	B	#2	57.75	40.63	39.25
	65/75 %	7 7/16	37 1/4	28	C	#2	57.75	40.63	39.25
	65/75 %	7 7/16	37 1/4	28 1/2	D	#2	57.75	40.63	39.25
	65/75 %	7 7/16	37 1/4	29	*E	#2	57.75	40.63	39.25
	65/75 %	7 3/8	38 1/8	29	A	#3	60.75	41.38	39.88
	65/75 %	7 3/8	38 1/8	29 1/2	B	#3	60.75	41.38	39.88

65/75 %	7 3/8	38 1/8	30	C	#3	60.75	41.38	39.88
65/75 %	7 3/8	38 1/8	30 1/2	D	#3	60.75	41.38	39.88
65/75 %	7 3/8	38 1/8	31	*E	#3	60.75	41.38	39.88

String Model: SVX-PV

Date: 2/21/18

X3-PV2

Model: Prevail 37

Limb: XT2000

Stealth Shot Bar: N/A

Pocket: W10

Model Year: 2018

Bar Mount #1


Limb Bolt Length: 1.75

Rocker: #6

*=Shipped Module Position

Bow Mount #1

Limb Shox #3



PREVAIL 37 STRING SET

